



Ages & Stages Questionnaires®

2 Month Questionnaire

1 month 0 days through 2 months 30 days



Please provide the following information. Use black or blue ink only and print legibly when completing this form.

Date ASQ completed: _____

Baby's information

Baby's first name: _____ Middle initial: _____ Baby's last name: _____

Baby's date of birth: _____ If baby was born 3 or more weeks prematurely, # of weeks premature: _____ Baby's gender: Male Female

Person filling out questionnaire

First name: _____ Middle initial: _____ Last name: _____

Street address: _____ Relationship to baby: Parent Guardian Teacher Child care provider
 Grandparent or other relative Foster parent Other: _____

City: _____ State/Province: _____ ZIP/Postal code: _____

Country: _____ Home telephone number: _____ Other telephone number: _____

E-mail address: _____

Names of people assisting in questionnaire completion: _____

Program Information

| | |
|---------------|--|
| Baby ID #: | Age at administration in months and days: |
| Program ID #: | If premature, adjusted age in months and days: |
| Program name: | |



2 Month Questionnaire

1 month 0 days
through 2 months 30 days

On the following pages are questions about activities babies may do. Your baby may have already done some of the activities described here, and there may be some your baby has not begun doing yet. For each item, please fill in the circle that indicates whether your baby is doing the activity regularly, sometimes, or not yet.

Important Points to Remember:

- Try each activity with your baby before marking a response.
- Make completing this questionnaire a game that is fun for you and your baby.
- Make sure your baby is rested and fed.
- Please return this questionnaire by _____.

Notes:

COMMUNICATION

| | YES | SOMETIMES | NOT YET | |
|---|-----------------------|-----------------------|-----------------------|-----|
| 1. Does your baby sometimes make throaty or gurgling sounds? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | ___ |
| 2. Does your baby make cooing sounds such as "ooo," "gah," and "aah"? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | ___ |
| 3. When you speak to your baby, does she make sounds back to you? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | ___ |
| 4. Does your baby smile when you talk to him? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | ___ |
| 5. Does your baby chuckle softly? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | ___ |
| 6. After you have been out of sight, does your baby smile or get excited when she sees you? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | ___ |

COMMUNICATION TOTAL _____

GROSS MOTOR

| | YES | SOMETIMES | NOT YET | |
|---|-----------------------|-----------------------|-----------------------|-----|
| 1. While your baby is on his back, does he wave his arms and legs, wiggle, and squirm? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | ___ |
| 2. When your baby is on her tummy, does she turn her head to the side? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | ___ |
| 3. When your baby is on his tummy, does he hold his head up longer than a few seconds? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | ___ |
| 4. When your baby is on her back, does she kick her legs? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | ___ |
| 5. While your baby is on his back, does he move his head from side to side? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | ___ |
| 6. After holding her head up while on her tummy, does your baby lay her head back down on the floor, rather than let it drop or fall forward? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | ___ |

GROSS MOTOR TOTAL _____

FINE MOTOR

- | | YES | SOMETIMES | NOT YET | |
|---|-----------------------|-----------------------|-----------------------|------|
| 1. Is your baby's hand usually tightly closed when he is awake? (If your baby used to do this but no longer does, mark "yes.") | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | ___ |
| 2. Does your baby grasp your finger if you touch the palm of her hand? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | ___ |
| 3. When you put a toy in his hand, does your baby hold it in his hand briefly? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | ___ |
| 4. Does your baby touch her face with her hands? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | ___ |
| 5. Does your baby hold his hands open or partly open when he is awake (rather than in fists, as they were when he was a newborn)? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | ___* |
| 6. Does your baby grab or scratch at her clothes? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | ___ |



FINE MOTOR TOTAL ___

**If Fine Motor item 5 is marked "yes," mark Fine Motor item 1 as "yes."*


PROBLEM SOLVING

- | | YES | SOMETIMES | NOT YET | |
|---|-----------------------|-----------------------|-----------------------|-----|
| 1. Does your baby look at objects that are 8–10 inches away? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | ___ |
| 2. When you move around, does your baby follow you with his eyes? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | ___ |
| 3. When you move a toy slowly from side to side in front of your baby's face (about 10 inches away), does your baby follow the toy with her eyes, sometimes turning her head? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | ___ |
| 4. When you move a small toy up and down slowly in front of your baby's face (about 10 inches away), does your baby follow the toy with his eyes? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | ___ |
| 5. When you hold your baby in a sitting position, does she look at a toy (about the size of a cup or rattle) that you place on the table or floor in front of her? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | ___ |
| 6. When you dangle a toy above your baby while he is lying on his back, does he wave his arms toward the toy? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | ___ |



PROBLEM SOLVING TOTAL ___

PERSONAL-SOCIAL

| | YES | SOMETIMES | NOT YET | |
|--|-----------------------|-----------------------|-----------------------|-----|
| 1. Does your baby sometimes try to suck, even when she's not feeding? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | ___ |
| 2. Does your baby cry when he is hungry, wet, tired, or wants to be held? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | ___ |
| 3. Does your baby smile at you? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | ___ |
| 4. When you smile at your baby, does she smile back? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | ___ |
| 5. Does your baby watch his hands? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | ___ |
|  | | | | |
| 6. When your baby sees the breast or bottle, does she seem to know she is about to be fed? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | ___ |
| PERSONAL-SOCIAL TOTAL | | | | ___ |

OVERALL

Parents and providers may use the space below for additional comments.

1. Did your baby pass the newborn hearing screening test? If no, explain: YES NO

2. Does your baby move both hands and both legs equally well? If no, explain: YES NO

3. Does either parent have a family history of childhood deafness, hearing impairment, or vision problems? If yes, explain: YES NO

OVERALL (continued)

4. Has your baby had any medical problems? If yes, explain:

 YES NO

5. Do you have concerns about your baby's behavior (for example, eating, sleeping)? If yes, explain:

 YES NO

6. Does anything about your baby worry you? If yes, explain:

 YES NO



2 Month ASQ-3 Information Summary

1 months 0 days through
2 months 30 days

Baby's name: _____ Date ASQ completed: _____

Baby's ID #: _____ Date of birth: _____

Administering program/provider: _____ Was age adjusted for prematurity when selecting questionnaire? Yes No

1. SCORE AND TRANSFER TOTALS TO CHART BELOW: See ASQ-3 User's Guide for details, including how to adjust scores if item responses are missing. Score each item (YES = 10, SOMETIMES = 5, NOT YET = 0). Add item scores, and record each area total. In the chart below, transfer the total scores, and fill in the circles corresponding with the total scores.

| Area | Cutoff | Total Score | 0 | 5 | 10 | 15 | 20 | 25 | 30 | 35 | 40 | 45 | 50 | 55 | 60 |
|-----------------|--------|-------------|---|---|----|----|----|----|----|----|----|----|----|----|----|
| Communication | 22.77 | | ● | ● | ● | ● | ● | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| Gross Motor | 41.84 | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ○ | ○ | ○ | ○ |
| Fine Motor | 30.16 | | ● | ● | ● | ● | ● | ● | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| Problem Solving | 24.62 | | ● | ● | ● | ● | ● | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| Personal-Social | 33.71 | | ● | ● | ● | ● | ● | ● | ○ | ○ | ○ | ○ | ○ | ○ | ○ |

2. TRANSFER OVERALL RESPONSES: Bolded uppercase responses require follow-up. See ASQ-3 User's Guide, Chapter 6.

- | | |
|---|--|
| <p>1. Passed newborn hearing screening test? Yes NO Comments: _____</p> <p>2. Moves both hands and both legs equally well? Yes NO Comments: _____</p> <p>3. Family history of hearing impairment? YES No Comments: _____</p> | <p>4. Any medical problems? YES No Comments: _____</p> <p>5. Concerns about behavior? YES No Comments: _____</p> <p>6. Other concerns? YES No Comments: _____</p> |
|---|--|

3. ASQ SCORE INTERPRETATION AND RECOMMENDATION FOR FOLLOW-UP: You must consider total area scores, overall responses, and other considerations, such as opportunities to practice skills, to determine appropriate follow-up.

If the baby's total score is in the area, it is above the cutoff, and the baby's development appears to be on schedule.
 If the baby's total score is in the area, it is close to the cutoff. Provide learning activities and monitor.
 If the baby's total score is in the area, it is below the cutoff. Further assessment with a professional may be needed.

4. FOLLOW-UP ACTION TAKEN: Check all that apply.

- _____ Provide activities and rescreen in _____ months.
- _____ Share results with primary health care provider.
- _____ Refer for (circle all that apply) hearing, vision, and/or behavioral screening.
- _____ Refer to primary health care provider or other community agency (specify reason): _____
- _____ Refer to early intervention/early childhood special education.
- _____ No further action taken at this time
- _____ Other (specify): _____

5. OPTIONAL: Transfer item responses (Y = YES, S = SOMETIMES, N = NOT YET, X = response missing).

| | 1 | 2 | 3 | 4 | 5 | 6 |
|-----------------|---|---|---|---|---|---|
| Communication | | | | | | |
| Gross Motor | | | | | | |
| Fine Motor | | | | | | |
| Problem Solving | | | | | | |
| Personal-Social | | | | | | |

**STAGES OF HEARING, LANGUAGE,
AND SPEECH DEVELOPMENT
FROM BIRTH TO 5 YEARS CHECKLIST**

Please use this checklist! Look at your checklist often. Find your child's age level. Check Yes or No for every item. If your child does not pass any two items within an age level, call your doctor to make an appointment.

| Age Level | Hearing and Understanding | Check One | Speech | Check One |
|---|--|--|--|--|
| Birth to 3 months | <ul style="list-style-type: none"> Gives a startle response to loud, sudden noises within 3 feet. Calms to a familiar, friendly voice. Wakes up when you speak or make noise nearby. | Yes <input type="checkbox"/> No <input type="checkbox"/> | <ul style="list-style-type: none"> Coos and gurgles. Laughs and uses voice when playing. Watches your face when spoken to. | Yes <input type="checkbox"/> No <input type="checkbox"/> |
| 3 to 6 months | <ul style="list-style-type: none"> Looks to see where sounds come from. Becomes frightened by an angry voice. Smiles when spoken to. Likes to play with toys or objects that make noise. | Yes <input type="checkbox"/> No <input type="checkbox"/> | <ul style="list-style-type: none"> Babbles (uses a series of sounds). Makes at least 4 different sounds when using his or her voice. Babbles to people when they speak. | Yes <input type="checkbox"/> No <input type="checkbox"/> |
| 6 to 9 months | <ul style="list-style-type: none"> Turns and looks to you when you are speaking in a quiet voice. Waves when you say "bye-bye." Stops for a moment when you say "no-no." Looks at objects or pictures when someone talks about them. | Yes <input type="checkbox"/> No <input type="checkbox"/> | <ul style="list-style-type: none"> Babbles using "song-like tunes." Uses voice to get your attention instead of crying. Uses different sounds and appears to be naming things. | Yes <input type="checkbox"/> No <input type="checkbox"/> |
| 9 to 12 months | <ul style="list-style-type: none"> Points to or looks at familiar objects or people when asked to. Looks sad when scolded. Follows directions ("Open your mouth," "Give me the ball"). "Dances" and makes sounds to music. | Yes <input type="checkbox"/> No <input type="checkbox"/> | <ul style="list-style-type: none"> Uses jargon (appears to be talking). Uses consonant sounds like b, d, g, m, and n when talking. Jabbers in response to a human voice, changes loudness of voice, and uses rhythm and tone. | Yes <input type="checkbox"/> No <input type="checkbox"/> |
| NOTE: Be aware that babies between 12 to 15 months old say their first true words. | | | | |
| 12 to 18 months | <ul style="list-style-type: none"> Points to body parts (hair, eyes, nose, mouth) when asked to. Brings objects to you when asked. Hears and identifies sounds coming from another room or from outside. | Yes <input type="checkbox"/> No <input type="checkbox"/> | <ul style="list-style-type: none"> Gives one-word answers to questions. Imitates many new words. Uses words of more than one syllable with meaning ("bottle"). Speaks 10 to 20 words. | Yes <input type="checkbox"/> No <input type="checkbox"/> |
| 18 to 24 months | <ul style="list-style-type: none"> Understands simple "yes/no" questions. Understands simple phrases with prepositions ("in the cup"). Enjoys being read to and points to pictures when asked. | Yes <input type="checkbox"/> No <input type="checkbox"/> | <ul style="list-style-type: none"> Uses his or her own first name. Uses "my" to get toys and other objects. Tells experiences using jargon and words. Uses 2-word sentences like "my shoes," "go bye-bye," "more juice." | Yes <input type="checkbox"/> No <input type="checkbox"/> |

Flip chart over to see the checklist for 24 months to 5 years of age. ►

HEARING CHECKLIST FOR PARENTS

(continued from the other side)

| Age Level | Hearing and Understanding | Check One | Speech | Check One |
|-----------------|--|--|--|--|
| 24 to 30 months | <ul style="list-style-type: none"> Understands negative statements (“no more,” “not now”). Selects objects according to size (big, little). Follows simple directions (“Get your shoes and socks”). | Yes <input type="checkbox"/> No <input type="checkbox"/> | <ul style="list-style-type: none"> Answers questions (“What do you do when you are sleepy?”). Uses plural words (2 books, dogs). Speaks 100 to 200 words. | Yes <input type="checkbox"/> No <input type="checkbox"/> |
| 30 to 36 months | <ul style="list-style-type: none"> Understands uses of objects (“Show me what goes on your foot”). Understands the concept of one and can hand you one of something (1 ball, 1 cookie). Correctly identifies boys and girls. Understands many action words like “run” or “jump.” | Yes <input type="checkbox"/> No <input type="checkbox"/> | <ul style="list-style-type: none"> Uses question forms correctly (who? what? where? when?). Uses negative forms (“It is not,” “I can’t”). Relates experiences using 4- to 5-word sentences. | Yes <input type="checkbox"/> No <input type="checkbox"/> |
| 3 to 4 years | <ul style="list-style-type: none"> Understands “why” questions (“Why do you wash your hands?”). Understands opposites like “fast” or “slow.” Correctly selects objects according to color. | Yes <input type="checkbox"/> No <input type="checkbox"/> | <ul style="list-style-type: none"> Uses different forms of action words (“I play,” “I want to play,” “We played”). Counts to 10. Tells you about pictures in books or about a drawing (“I made a purple flower”). | Yes <input type="checkbox"/> No <input type="checkbox"/> |
| 4 to 5 years | <ul style="list-style-type: none"> Understands size comparisons (big, bigger, biggest). Understands many pronouns (“Give it to her,” “Give it to him”). Follows a 2- to 3-step command (“Go to the kitchen, get a cup, put it on the table”). | Yes <input type="checkbox"/> No <input type="checkbox"/> | <ul style="list-style-type: none"> Speaks at least 1,500 words. Says most sounds correctly except possibly “s” and “th.” Talks freely to family and friends using full sentences that most people can understand. | Yes <input type="checkbox"/> No <input type="checkbox"/> |

Do you hear me?

This may be the most important question you ever answer for your baby.

- Babies learn to talk during their first years. Words help them share thoughts and feelings with the important people in their world.
- As your baby hears words, language and learning begin and speech develops.
- The checklist above and on the other side shows you how learning helps the speech development of your child.
- Watch your child grow through stages of normal hearing and speech development. Seek help immediately if your child is not developing according to the checklist.

What can you do?

- Some infants are born with normal hearing and later become deaf or hard of hearing. That is why you must continue to fill out the checklist.
- If you think your child has a hearing problem, **do not delay**. Seek help **immediately**.

NOW...

- You know your child best. If you suspect a possible hearing loss, talk to your doctor about getting a hearing test.
- For questions or more information, contact Texas Early Hearing Detection and Intervention (TEHDI).
Phone: **1-800-252-8023, ext. 7726** toll free
(Use relay option of your choice to call if needed.)
Email: tehdi@dshs.texas.gov
Website: www.dshs.texas.gov/tehdi

Lead Risk Questionnaire

Purpose: To identify children who need to be tested for lead exposure.

Instructions

- If **Yes** or **Don't Know**, test the child immediately.
- You may administer a blood lead test instead of using this questionnaire.
- For more information, contact the Texas Childhood Lead Poisoning Prevention Program at: 1-800-588-1248.

Patient's Name: _____ DOB: _____ Medicaid #: _____

Provider's Name: _____ Administered by: _____ Date _____

Questions

| | Yes or Don't Know | No |
|---|--------------------------|--------------------------|
| 1. Does your child live in or visit a home, day-care or other building built before 1978? | <input type="checkbox"/> | <input type="checkbox"/> |
| 2. Does your child live in or visit a home, day-care or other building with ongoing repairs or remodeling? | <input type="checkbox"/> | <input type="checkbox"/> |
| 3. Does your child eat or chew on non-food things like paint chips or dirt? | <input type="checkbox"/> | <input type="checkbox"/> |
| 4. Does your child have a family member or friend who has or did have an elevated blood lead level? | <input type="checkbox"/> | <input type="checkbox"/> |
| 5. Is your child a newly arrived refugee or foreign adoptee? | <input type="checkbox"/> | <input type="checkbox"/> |
| 6. Does your child come in contact with an adult whose job or hobby involves lead exposure? | <input type="checkbox"/> | <input type="checkbox"/> |
| <p><i>Examples</i></p> <ul style="list-style-type: none"> • House construction or repair • Battery manufacturing or repair • Burning lead-painted wood • Automotive repair shop or junk yard • Going to a firing range or reloading bullets • Chemical preparation • Valve and pipe fittings • Brass/copper foundry • Refinishing furniture • Making fishing weights • Radiator repair • Pottery making • Lead smelting • Welding | | |
| 7. Does your family use products from other countries such as pottery, health remedies, spices, or food? | <input type="checkbox"/> | <input type="checkbox"/> |
| <p><i>Examples</i></p> <ul style="list-style-type: none"> • Traditional medicines such as Ayurvedic, greta, azarcón, alarcón, alkoohl, bali goli, coral, ghasard, liga, pay-loo-ah, and rueda • Cosmetics such as kohl, surma, and sindor • Imported or glazed pottery, imported candy, and imported nutritional pills other than vitamins. • Foods canned or packaged outside the U.S. | | |

Test Immediately

Texas Department of State Health Services Tuberculosis (TB) Questionnaire for Children

Name of Child _____ Date of Birth _____

Organization administering questionnaire _____ Date _____

Tuberculosis (TB) is a disease caused by TB germs and is usually transmitted by an adult person with active TB lung disease. It is spread to another person by coughing or sneezing TB germs into the air. These germs may be breathed in by the child.

Adults who have active TB usually have many of the following symptoms: cough for more than two weeks duration, loss of appetite, weight loss of ten or more pounds over a short period of time, fever, chills and night sweats.

A person can have TB germs in his or her body but not have TB disease (this is called latent TB infection or LTBI).

Tuberculosis is preventable and treatable. TB skin testing (often called the PPD or Mantoux test) or a TB blood test (called an IGRA) is used to see if your child has been infected with TB germs. No vaccine is recommended for use in the United States to prevent tuberculosis. The test is not a vaccination against TB.

We need your help to find out if your child has been exposed to tuberculosis.

| Place a mark in the appropriate box | Yes | No | Don't Know |
|--|-----|----|------------|
| TB can cause a fever of long duration, unexplained weight loss, a cough (lasting over two weeks), or coughing up blood. As far as you know has your child: <ul style="list-style-type: none"> • been around anyone with any of these symptoms or problems? or • had any of these symptoms or problems? or • been around anyone sick with TB? | | | |
| Was your child born in: Mexico or any other country in Latin America, the Caribbean, Africa, Eastern Europe or Asia? | | | |
| Has your child traveled in the past year to: Mexico or any other country in Latin America, the Caribbean, Africa, Eastern Europe or Asia for longer than 3 weeks? If so, specify which country/countries: | | | |
| To your knowledge, has your child spent time (longer than 3 weeks) with: anyone who is/has been an intravenous (IV) drug user, HIV-infected, in jail or prison or recently came to the United States from another country? | | | |

Has your child been tested for TB? Yes (specify date ___/___/____) No
 Has your child ever had a positive TB skin test? Yes (specify date ___/___/____) No
 Has your child ever had a positive TB blood test? Yes (specify date ___/___/____) No

For school/healthcare provider use only

PPD / IGRA administered (circle one)

Date Administered: ___/___/____ Date Read (if PPD): ___/___/____

Result of PPD: _____ mm Result of IGRA test: Positive Negative Indeterminate/Invalid

Type of service provider (i.e. school, Health Steps, other clinics): _____

PPD/IGRA provider: _____
signature printed name

Provider phone number: _____

City _____ County _____

If positive, referral to healthcare provider: Yes No

If yes, name/contact of provider: _____